

**ALACHUA COUNTY
BOARD OF COUNTY COMMISSIONERS**

ORDINANCE 02-01

AN ORDINANCE OF THE BOARD OF COUNTY COMMISSIONERS OF ALACHUA COUNTY, FLORIDA, AMENDING PART III, UNIFIED LAND DEVELOPMENT CODE, TITLE 33, (BUILDINGS AND CONSTRUCTION), OF THE ALACHUA COUNTY CODE, RELATING TO CONSTRUCTION CODES; REPEALING THE EXISTING CHAPTER 331 CONSTRUCTION CODES ; PROVIDING A NEW CHAPTER 331 BUILDING CODE OF ALACHUA COUNTY, FLORIDA; ADOPTING THE FLORIDA BUILDING CODE AND CERTAIN ADMINISTRATIVE AMENDMENTS; ADOPTING WIND SPEED LINES FOR ALACHUA COUNTY; REPEALING THE EXISTING CHAPTER 334 SWIMMING POOLS; PROVIDING A NEW CHAPTER 334 SWIMMING POOL CODE OF ALACHUA COUNTY, FLORIDA; PROVIDING FOR SEVERABILITY; PROVIDING FOR INCLUSION IN THE CODE; PROVIDING FOR LIBERAL CONSTRUCTION; PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Florida Building Code Act of 1998 directed the Florida Building Commission to establish a statewide uniform building code known as the Florida Building Code, and

WHEREAS, the Florida Building Code will be in effect throughout the State of Florida on March 1, 2002, and

WHEREAS, the enforcement of the Florida Building Code is responsibility of local governments, and

WHEREAS, the Board of County Commissioners of Alachua County, Florida is authorized, directed, and empowered to enact ordinances regulating building construction, and

WHEREAS, the Board of County Commissioners of Alachua County, Florida, wishes to make amendments to the construction codes of Alachua County, Chapter 331 of the Alachua County Code, and Chapter 334 Swimming Pools, and

WHEREAS, at least ten (10) days notice has been given, once by publication in a newspaper of general circulation, notifying the public of this proposed ordinance and of the public hearings in Jack Durrance Auditorium of the County Administration Building in Alachua County, Florida, and

WHEREAS, the Planning Commission, acting as the Local Planning Agency, has reviewed this proposed land development regulation for consistency with the comprehensive plan; and

WHEREAS, duly noticed public hearings were conducted to consider this ordinance on December 19, 2001 by the Planning Commission, and January 8, 2002 by the Board of County Commissioners, at which hearing the parties in interest and all others had an opportunity to be and were, in fact, heard;

BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF ALACHUA COUNTY, FLORIDA:

Section 1. Chapter 331 of the Alachua County Code, Construction Codes is repealed in its entirety, and the following new Chapter 331 on Building Code of Alachua County, Florida is added:

Chapter 331. BUILDING CODE OF ALACHUA COUNTY, FLORIDA

Sec. 331.01. Short Title.

This chapter shall be known and cited as the Building Code of Alachua County, Florida.

Sec. 331.02. Adoption.

The Florida Building Code as published by the State of Florida, Department of Community Affairs is hereby adopted in its entirety by reference.

Sec. 331.03. Florida Building Code - Chapter 1 Amendments.

The Florida Building Code adopted by reference as the Building Code of Alachua County, Florida is hereby amended in Chapter 1 as follows:

Chapter 1 - Administration

Section 101 - General

101.1 Scope. The provisions of this chapter shall govern the administration and enforcement of the *Florida Building Code*.

101.2 Title. The provisions of the following chapters shall constitute and be known and be cited as the “*Florida Building Code*,” hereinafter known as “this code.”

101.3 Code Remedial

101.3.1 General. This code is hereby declared to be remedial and shall be construed to secure the beneficial interests and purposes thereof, which are public safety, health and general welfare through structural strength, stability, sanitation, adequate light and ventilation, and safety to life and property from fire and other hazards attributed to the built environment including alteration, repair, removal, demolition, use and occupancy of buildings, structures or premises, and by regulating the installation and maintenance of all electrical, gas, mechanical and plumbing systems, which may be referred to as service systems.

101.3.2 Quality control. Quality control of materials and workmanship is not within the purview of this code except as it relates to the purposes stated herein.

101.3.3 Permitting and inspection. The inspection or permitting of any building, system or plan by Alachua County under the requirements of this code shall not be construed in any court as a warranty of the physical condition of such building, system or plan or their adequacy. Neither Alachua County nor any employee thereof shall be liable in tort for damages for any defect or hazardous or illegal condition or inadequacy in such building, system or plan, nor for any failure of any component of such, which may occur subsequent to such inspection or permitting, unless the employee of Alachua County is found to have acted in bad faith or with malicious purpose in a manner exhibiting wanton and willful disregard of the safety, health and welfare of the public.

101.4 Applicability

101.4.1 General. Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable.

101.4.2 Building. The provisions of the *Florida Building Code* shall apply to the construction, erection, alteration, modification, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every public and private building, structure or facility or floating residential structure, or any appurtenances connected or attached to such buildings, structures or facilities. Additions, alterations, repairs and changes of use or occupancy group in all buildings and structures shall comply with the provisions provided in Chapter 34 of this code. However, this section does not apply to the manufacture of mobile homes as defined by Federal law.

101.4.2.1 *The Florida Building Code* does not apply to, and no code enforcement action shall be brought with respect to, zoning requirements, land use requirements and owner specifications or programmatic requirements which do not pertain to and govern the design, construction, erection, alteration, modification, repair or demolition of public or private buildings, structures or facilities or to programmatic requirements that do not pertain to enforcement of the *Florida Building Code*. Additionally, a local code enforcement agency may not administer or enforce the *Florida Building Code*, *Building* to prevent the siting of any publicly owned facility, including, but not limited to, correctional facilities, juvenile justice facilities, or state universities, community colleges, or public education facilities, as provided by law.

101.4.2.2 In addition to the requirements of ss. 553.79 and 553.80 Florida Statutes, facilities subject to the provisions of Chapter 395 Florida Statutes and Part II of Chapter 400 Florida Statutes shall have facility plans reviewed and construction surveyed by the state agency authorized to do so under the requirements of Chapter 395 Florida Statutes and Part II of Chapter 400 Florida Statutes and Part II of Chapter 400 Florida Statutes and the certification requirements of the Federal Government.

101.4.2.3 Residential buildings or structures moved into or within a county or municipality shall not be required to be brought into compliance with the state minimum building code in force at the time the building or structure is moved, provided:

1. The building or structure is structurally sound and in occupiable condition for its intended use;
2. The occupancy use classification for the building or structure is not changed as a result of the move;
3. The building is not substantially remodeled;
4. Current fire code requirements for ingress and egress are met;
5. Electrical, gas and plumbing systems meet the codes in force at the time of construction and are operational and safe for reconnection; and
6. Foundation plans are sealed by a professional engineer or architect licensed to practice in this state, if required by the *Florida Building Code, Building* for all residential buildings or structures of the same occupancy class.

101.4.2.3.1 The building official shall apply the same standard to a moved residential building or structure as that applied to the remodeling of any comparable residential building or structure to determine whether the moved structure is substantially remodeled. The cost of the foundation on which the moved building or structure is placed shall not be included in the cost of remodeling for purposes of determining whether a moved building or structure has been substantially remodeled.

101.4.2.4 This section does not apply to the jurisdiction and authority of the Department of Agriculture and Consumer Services to inspect amusement rides or the Department of Insurance to inspect state-owned buildings and boilers.

101.4.2.5 Each enforcement district shall be governed by a board, the composition of which shall be determined by the affected localities. At its own option, each enforcement district or local enforcement agency may promulgate rules granting to the owner of a single-family residence one or more exemptions to the Florida Building Code relating to:

1. Addition, alteration or repair performed by the property owner upon his or her own property, provided any addition or alteration shall not exceed 1,000 square feet or the square footage of the primary structure, whichever is less.
2. Addition, alteration or repairs by a nonowner within a specific cost limitation set by rule, provided the total cost shall not exceed \$5,000 within any 12-month period.
3. Building and inspection fees.

Each code exemption, as defined in this section, shall be certified to the local board 10 days prior to implementation and shall be effective only in the territorial

jurisdiction of the enforcement district or local enforcement agency implementing it.

101.4.3 Electrical. The provisions of Chapter 27 of the Florida Building Code, Building shall apply to the installation of electrical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances thereto.

101.4.4 Gas. The provisions of the *Florida Building Code, Fuel Gas* shall apply to the installation of consumers' gas piping, gas appliances and related accessories as covered in this code. These requirements apply to gas piping systems extending from the point of delivery to the inlet connections of appliances, and the installation and operation of residential and commercial gas appliances and related accessories.

101.4.5 Mechanical. The provisions of the *Florida Building Code, Mechanical* shall apply to the installation of mechanical systems, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances, including ventilating, heating, cooling, air conditioning and refrigeration systems, incinerators and other energy-related devices.

101.4.6 Plumbing. The provisions of the *Florida Building Code, Plumbing* shall apply to every plumbing installation, including alterations, repairs, replacement, equipment, appliances, fixtures, fittings and appurtenances and when connected to a water or sewerage system and all aspects of a medical gas system.

101.4.7 Federal and state authority. The provisions of this code shall not be held to deprive any Federal or State agency, or any applicable governing authority having jurisdiction, of any power or authority which it had on the effective date of the adoption of this code or of any remedy then existing for the enforcement of its orders, nor shall it deprive any individual or corporation of its legal rights as provided by law.

101.4.8 Appendices. To be enforced, the appendices included in the technical codes must be adopted by a local governmental jurisdiction for use in that jurisdiction.

101.4.9 Referenced standards. Standards referenced in the technical codes shall be considered an integral part of the codes without separate adoption. If specific portions of a standard are denoted by code text, only those portions of the standard shall be enforced. Where code provisions conflict with a standard, the code provisions shall be enforced. Permissive and advisory provisions in a standard shall not be construed as mandatory.

101.4.10 Units of measure. The inch-pound system of measurement is applicable to the provisions of this code. Metric units indicated in parenthesis following inch-pound units are approximate equivalents and are provided for informational purposes only.

101.4.11 Accessibility. For provisions related to accessibility, refer to Chapter 11 of the *Florida Building Code, Building*.

101.4.12 Energy. For provisions related to energy, refer to Chapter 13 of the *Florida Building Code, Building*.

Section 102 ~~Building Department (Reserved)~~ Building Division

102.1 Establishment. There is hereby established in the Department of Growth Management, Office of Codes Enforcement a division to be called the Building Division and the person in charge shall be known as the Building Official.

102.2 Employee qualifications

102.2.1 Building Official Qualifications. The Building Official shall be licensed as a Building Code Administrator by the State of Florida. The Building Official shall be appointed or hired by the applicable governing authority and shall not be removed from office except for cause after full opportunity has been given to be heard on specific charges before such applicable governing authority.

102.2.2 Employee Qualifications. The Building Official, with the approval of the applicable governing authority, may appoint or hire such number of officers, inspectors, plans examiners, assistants and other employees as shall be authorized from time to time. A person shall not be appointed or hired as inspector or plans examiner unless that person meets the qualifications for licensure as an inspector or plans examiner, in the appropriate trade as established by the State of Florida.

102.3 Restrictions on employees. An officer or employee connected with the department, except one whose only connection is as a member of the board established by this code, shall not be financially interested in the furnishing of labor, material, or appliances for the construction, alteration, or maintenance of a building, structure, service, system or in the making of plans or of specifications thereof, within the jurisdiction of the department, unless he is the owner of such. This officer or employee shall not engage in any other work which is inconsistent with his duties or conflict with the interest of the department.

102.4 Records. The Building Official shall keep, or cause to be kept, a record of the business of the department. The records of the department shall be open to public inspection.

102.5 Liability. Any officer or employee, or member of the Building Board of Adjustments and Appeals, charged with the enforcement of this code, acting for the applicable governing authority in the discharge of their duties, shall not thereby render themselves personally liable, and is hereby relieved from all personal liability, for any damage that may occur to persons or property as a result of any act required or permitted in the discharge of his duties. Any suit brought against any officer or employee or member because of such act performed by him in the enforcement of any provisions of this code shall be defended by the department of law until the final termination of the proceedings, unless such person is found to have acted in bad faith or with malicious purpose or in a manner exhibiting wanton and willful disregard for the safety, health, and welfare of the public.

Section 103 Powers and Duties of the Building Official

~~103.1 through 103.6 Reserved.~~

103.1 General. The building official is hereby authorized and directed to enforce the provisions of this code. The building official shall have the authority to render interpretations of this code and to adopt policies and procedures in order to clarify the application of its provisions. Such interpretations, policies and

procedures shall be in compliance with the intent and purpose of this code, and shall not have the effect of waiving requirements specifically provided for in this code.

103.2 Right of entry

103.2.1 Whenever necessary to make an inspection to enforce any of the provisions of this code, or whenever the building official has reasonable cause to believe that there exists in any building or upon any premises any condition or code violation which makes such building, structure, premises, electrical, gas, mechanical or plumbing systems unsafe, dangerous or hazardous, the building official may enter such building, structure or premises at all reasonable times to inspect the same or to perform any duty imposed upon the building official by this code. If such building or premises are occupied, he shall first present proper credentials and request entry. If such building, structure, or premises are unoccupied, he shall first make a reasonable effort to locate the owner or other persons having charge or control of such and request entry. If entry is refused, the building official shall have recourse to every remedy provided by law to secure entry.

103.2.2 When the building official shall have first obtained a proper inspection warrant or other remedy provided by law to secure entry, no owner or occupant or any other persons having charge, care or control of any building, structure, or premises shall fail or neglect, after proper request is made as herein provided, to promptly permit entry therein by the building official for the purpose of inspection and examination pursuant to this code.

103.3 Stop work orders. Upon notice from the building official, work on any building, structure, electrical, gas, mechanical or plumbing system that is being done contrary to the provisions of this code or in a dangerous or unsafe manner, shall immediately cease. Such notice shall be in writing and shall be given to the owner of the property, or to his agent, or to the person doing the work, and shall state the conditions under which work may be resumed. Where an emergency exists, the building official shall not be required to give a written notice prior to stopping the work.

103.4 Revocation of permits. The building official is authorized to suspend or revoke a permit issued under the provisions of this code wherever the permit is issued in error or on the basis of incorrect, inaccurate or incomplete information, or in violation of any ordinance or regulation or any provisions of this code.

103.4.1 Misrepresentation of application. The building official may revoke a permit or approval, issued under the provisions of this code, in case there has been any false statement or misrepresentation as to the material fact in the application or plans on which the permit or approval was based.

103.4.2 Violation of code provisions. The building official may revoke a permit upon determination by the building official that the construction, erection, alteration, repair, moving, demolition, installation, or replacement of the building, structure, electrical, gas, mechanical or plumbing systems for which the permit was issued is in violation of, or not in conformity with, the provisions of this code.

103.5 Unsafe buildings or systems. All buildings, structures, electrical, gas, mechanical or plumbing systems which are unsafe, unsanitary, or do not provide adequate egress, or which constitute a fire hazard, or are otherwise dangerous to human life, or which in relation to existing use, constitute a hazard to safety or health, are considered unsafe buildings or service systems. All such unsafe buildings, structures or service systems are hereby declared illegal and shall be abated by repair and rehabilitation or by demolition in accordance with the provisions of the Standard Unsafe Building Abatement Code or other local ordinance.

103.6 Requirements not covered by code. Any requirements necessary for the strength, stability or proper operation of an existing or proposed building, structure, electrical, gas, mechanical or plumbing system, or for the public safety, health and general welfare, not specifically covered by this or the other technical codes, shall be determined by the building official.

103.7 Alternate materials and methods.

103.7.1 The provisions of the technical codes are not intended to prevent the use of any material or method of construction not specifically prescribed by them, provided any such alternate has been reviewed by the building official. The building official shall approve any such alternate, provided the building official finds that the alternate for the purpose intended is at least the equivalent of that prescribed in the technical codes in quality, strength, effectiveness, fire resistance, durability and safety. When alternate life safety systems are designed, the “SFPE Engineering Guide to Performance-Based Fire Protection Analysis and Design of Buildings,” or other methods approved by the building official may be used. The building official shall require that sufficient evidence or proof be submitted to substantiate any claim made regarding the alternate.

103.7.2 Accessibility. Alternate designs and technologies for providing access to and usability of a facility for persons with disabilities shall be in accordance with 11-2.2

Section 104 Permits

104.1 Permit Application

104.1.1 When required. Any owner, authorized agent, or contractor who desires to construct, enlarge, alter, repair, move, demolish, or change the occupancy or occupant content of a building or structure, or any outside area being used as part of the building’s designated occupancy (single or mixed) or to erect, install, enlarge, alter, repair, remove, convert or replace any electrical, gas, mechanical or plumbing system, the installation of which is regulated by the technical codes, or to cause any such work to be done, shall first make application to the building official and obtain the required permit for the work.

Exceptions:

1. Permits shall not be required for the following mechanical work.
 - 1.1. any portable heating appliance;
 - 1.2. any portable ventilation equipment;
 - 1.3. any portable cooling unit;
 - 1.4. any steam, hot or chilled water piping within any heating or cooling equipment regulated by this code.
 - 1.5. replacement of any part which does not alter its approval or make it unsafe;
 - 1.6. any portable evaporative cooler;
 - 1.7. any self-contained refrigeration system containing 10 lb (4.54 kg) or less of refrigerant and actuated by motors of 1 horsepower (746 W) or less; and
 - 1.8. The installation, replacement, removal, or metering of any load management control device.

104.1.2 Temporary structures. A special building permit for a limited time shall be obtained before the erection of temporary structures such as construction sheds, seats, canopies, tents and

fences used in construction work or for temporary purposes such as reviewing stands. Such structures shall be completely removed upon the expiration of the time limit stated in the permit.

104.1.3 Work authorized. A building, electrical, gas, mechanical or plumbing permit shall carry with it the right to construct or install the work, provided the same is shown on the drawings and set forth in the specifications filed with the application for the permit. Where these are not shown on the drawings and covered by the specifications submitted with the application, separate permits shall be required.

104.1.4 Minor repairs. Ordinary minor repairs may be made with the approval of the building official without a permit, provided that such repairs shall not violate any of the provisions of the technical codes.

104. 1.5 Information required. Each application for a permit, with the required fee, shall be filed with the building official on a form furnished for that purpose and shall contain a general description of the proposed work and its location. The application shall be signed by the owner or his authorized agent. The building permit application shall indicate the proposed occupancy of all parts of the building and of that portion of the site or lot, if any, not covered by the building or structure and shall contain such other information as may be required by the building official. Permit application forms shall be in the format prescribed by a local administrative board, if applicable, and must comply with the requirements of s. 713.135(6) & (7) Florida Statutes. Each application shall be inscribed with the date of application and the code in effect as of that date. ~~The code in effect on the date of application shall govern the project.~~ For a building permit for which an application is submitted prior to the effective date of the Florida Building Code, the state minimum building code in effect in the permitting jurisdiction of the date of the application governs the permitted work for the life of the permit and any extension granted to the permit.

104.1.6 Time Limitations. Except as otherwise provided in this chapter, ~~A~~an application for a permit for any proposed work shall be deemed to have been abandoned, and shall expire by limitation and become null and void 6 months after the date of filing for the permit, or plan approval, whichever is later unless before then a permit has been issued. One or more extensions of time for periods of not more than 90 days each may be allowed by the building official for the application, provided the extension is requested in writing and justifiable cause is demonstrated.

104.1.7 Annual Facility Permit. In lieu of an individual permit for each alteration to an existing electrical gas, mechanical, plumbing or interior non-structural office system(s), the building official is authorized to issue an annual permit for Group F occupancies to facilitate routine or emergency service, repair, refurbishing, minor renovations of service systems or manufacturing equipment installations/relocations. The building official shall be notified of major changes and shall retain the right to make inspections at the facility site as deemed necessary. A facility service permit shall be assessed an annual fee and shall be valid for one year from date of issuance. A separate permit shall be obtained for each facility and for each construction trade, as applicable. The permit application shall contain a general description of the parameters of work intended to be performed during the year.

104.1.7.1 Annual Permit Records. The person to whom an annual permit is issued shall keep a detailed record of alterations made under such annual permit. The building official shall have reasonable access to such records upon request. The permit holder shall list/identify all work performed on a form approved by the building official. At the end of the permit validation period, a copy of the log shall be filed with the building official. The building official is authorized to revoke or withhold the issuance of the future permits if a pattern of code violations is found to exist.

104.1.8 Food Permit. As per s. 500.12, Florida Statutes, a food permit from the Department of Agriculture and Consumer Services is required of any person who operates a food establishment or retail store.

104.1.9 Notice of Commencement. As per s. 713.135 Florida Statutes, when any person applies for a building permit, the authority issuing such permit shall print on the face of each permit card in no less than 18-point, capitalized, boldfaced type: “WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.”

104.1.10 Asbestos. The enforcing agency shall require each building permit for the demolition or renovation of an existing structure to contain an asbestos notification statement which indicates the owner’s or operator’s responsibility to comply with the provisions of s. 469.003 Florida Statutes and to notify the Department of Environmental Protection of her or his intentions to remove asbestos, when applicable, in accordance with state and federal law.

104.2 Drawings and specifications

104.2.1 Requirements. As required by 104.3.1.1 of the code, two or more copies of specifications, and of drawings drawn to scale with sufficient clarity and detail to indicate the nature and character of the work, shall accompany the application for a permit. Such drawings and specifications shall contain information, in the form of notes or otherwise, as to the quality of materials, where quality is essential to conformity with the technical codes. Such information shall be specific, and the technical codes shall not be cited as a whole or in part, nor shall the term “legal” or its equivalent be used as a substitute for specific information. All information, drawings, specifications and accompanying data shall bear the name and signature of the person responsible for the design.

104.2.1.1 For roof assemblies required by the code, the construction documents shall illustrate, describe, and delineate the type of roofing system, materials, fastening requirements, flashing requirements and wind resistance rating that are required to be installed. Product evaluation and installation shall indicate compliance with the wind criteria required for the specific site or a statement by an architect or engineer for the specific site must be submitted with the construction documents.

104.2.2 Design professional. If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture or engineering, then he/she shall affix his official seal to said drawings, specifications and accompanying data, as required by Florida Statute.

104.2.2.1 Certification by contractors authorized under the provisions of s. 489.115(4)(b) Florida Statutes shall be considered to equivalent to sealed plans and specifications by a person licensed under Chapter 471 Florida Statutes or Chapter 481 Florida Statutes by local enforcement agencies for plans review for permitting purposes relating to compliance with the wind resistance provisions of the code or alternate methodologies approved by the Florida Building methodologies approved by the Florida Building Commission for one- and two-family dwellings. Local enforcement agencies may rely upon such certification by contractors that the plans and specifications submitted conform to the

requirements of the code for wind resistance. Upon good cause shown, local government code enforcement agencies may accept or reject plans sealed by persons licensed under Chapters 471, 481 or 489, Florida Statutes.

104.2.3 Structural and fire resistance integrity. Plans for all buildings shall indicate how required structural and fire resistance integrity will be maintained where a penetration of a required fire resistant wall, floor or partition will be made for electrical, gas, mechanical, plumbing and communication conduits, pipes and systems. Such plans shall also indicate in sufficient detail how the fire integrity will be maintained where required fire resistant floors intersect the exterior walls and where joints occur in required fire resistant construction assemblies.

104.2.4 Site drawings. Drawings shall show the location of the proposed building or structure and of every existing building or structure on the site or lot. The building official shall be permitted to require a boundary line survey prepared by a qualified surveyor whenever the boundary lines cannot be readily determined in the field.

~~104.2.5 Reserved.~~

104.2.5 Hazardous occupancies. The building official may require the following:

1. General site plan. A general site plan drawn at a legible scale which shall include, but not be limited to, the location of all buildings, exterior storage facilities, permanent access ways, evacuation routes, parking lots, internal roads, chemical loading areas, equipment cleaning areas, storm and sanitary sewer accesses, emergency equipment and adjacent property uses. The exterior storage areas shall be identified with the hazard classes and the maximum quantities per hazard class of hazardous materials stored.

2. Building floor plan. A building floor plan drawn to a legible scale, which shall include, but not be limited to, all hazardous materials storage facilities within the building and shall indicate rooms, doorways, corridors, exits, fire rated assemblies with their hourly rating, location of liquid tight rooms, and evacuation routes. Each hazardous materials storage facility shall be identified on the plan with the hazard classes and quantity range per hazard class of the hazardous materials stored.

104.2.6 Certificate of Protective Treatment for prevention of termites. A weather resistant jobsite posting board shall be provided to receive duplicate Treatment Certificates as each required protective treatment is completed, providing a copy for the person the permit is issued to and another copy for the building permit files. The Treatment Certificate shall provide the product used, identity of the applicator, time and date of the treatment, site location, area treated, chemical used, percent concentration and number of gallons used, to establish a verifiable record of protective treatment. If the soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.

104.2.7 Notice of termite protection. A permanent sign which identifies the termite treatment provider and need for re-inspection and treatment contract renewal shall be provided. The sign shall be posted near the water heater or electric panel.

104.3 Examination of documents.

104.3.1 Plan Review. The building official shall examine or cause to be examined each application for a permit and the accompanying documents, consisting of drawings, specifications, computations and additional data, and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of the technical codes and all other pertinent laws or ordinances.

Exceptions:

1. Building plans approved pursuant to s. 553.77(6) Florida Statutes and state-approved manufactured buildings are exempt from local codes enforcing agency plan reviews except for provisions of the code relating to erection, assembly or construction at the site. Erection, assembly and construction at the site are subject to local permitting and inspections.
2. Industrial construction on sites where design, construction and fire safety are supervised by appropriate design and inspection professionals and which contain adequate in-house fire departments and rescue squads is exempt, subject to local government option, from review of plans and inspections, providing owners certify that applicable codes and standards have been met and supply appropriate approved drawings to local building and fire-safety inspectors.

104.3.1.1 Minimum plan review criteria for buildings. The examination of the documents by the building official shall include the following minimum criteria and documents: a floor plan, site plan, foundation plan, floor/roof framing plan or truss layout and all exterior elevations:

Commercial Buildings: Building

1. Site Requirements
 - parking
 - fire access
 - vehicle loading
 - driving/turning radius
 - fire hydrant/water supply/Post Indicator Valve (PIV)
 - set back/separation (assumed property lines)
 - location of specific tanks, water lines and sewer lines
2. Occupancy group and special occupancy requirements shall be determined.
3. Minimum type of construction shall be determined (Table 500)
4. Fire resistant construction requirements shall include the following components:
 - fire resistant separations
 - fire resistant protection for type of construction
 - protection of openings and penetrations of rated walls
 - fire blocking and Draftstopping
 - calculated fire resistance
5. Fire suppression systems shall include:
 - early warning

smoke evacuation systems schematic
fire sprinklers
standpipes
pre-engineered systems
riser diagram

Life Safety systems shall be determined and shall include the following requirements:

- occupant load and egress capacities
- smoke control
- stair pressurization
- systems schematic
- 7. Occupancy Load/Egress Requirements shall include:
 - Occupancy load
 - gross
 - net
 - means of egress
 - exit access
 - exit
 - exit discharge
 - stairs construction/geometry and protection
 - doors
 - emergency lighting and exit signs
 - specific occupancy requirements
 - construction requirements
 - horizontal exits/exit passageways
- 8. Structural requirements shall include:
 - soil conditions/analysis
 - termite protection
 - design loads
 - wind requirements
 - building envelope
 - structural calculations (if required)
 - foundation
 - wall systems
 - floor systems
 - roof systems
 - threshold inspection plan
 - stair systems
- 9. Materials shall be reviewed and shall at a minimum include the following:
 - wood
 - steel
 - aluminum
 - concrete
 - plastic
 - glass
 - masonry
 - gypsum board and plaster
 - insulating (mechanical)
 - roofing
 - insulation

10. Accessibility requirements shall include the following:
 - site requirements
 - accessible route
 - vertical accessibility
 - toilet and bathing facilities
 - drinking fountains
 - equipment
 - special occupancy requirements
 - fair housing requirements
11. Interior requirements shall include the following:
 - interior finishes (flame spread/smoke develop)
 - light and ventilation
 - sanitation
12. Special systems
 - elevators
 - escalators
 - lifts
13. Swimming Pools
 - barrier requirements
 - spas
 - wading pools

Electrical

1. Electrical
 - wiring
 - services
 - feeders and branch circuits
 - overcurrent protection
 - grounding
 - wiring methods and materials
 - GFCIs
2. Equipment
3. Special Occupancies
4. Emergency Systems
5. Communication Systems
6. Low-voltage
7. Load calculations

Plumbing

1. Minimum plumbing facilities
2. Fixture requirements
3. Water supply piping
4. Sanitary drainage
5. Water heaters
6. Vents
7. Roof drainage
8. Back flow prevention
9. Irrigation

10. Location of water supply line
11. Grease traps
12. Environmental requirements
13. Plumbing riser

Mechanical

1. Energy calculations
2. Exhaust systems
 - clothes dryer exhaust
 - kitchen equipment exhaust
 - specialty exhaust systems
3. Equipment
4. Equipment location
5. Make-up air
6. Roof-mounted equipment
7. Duct systems
8. Ventilation
9. Combustion air
10. Chimneys, fireplaces and vents
11. Appliances
12. Boilers
13. Refrigeration
14. Bathroom ventilation
15. Laboratory

Gas

1. Gas piping
2. Venting
3. Combustion air
4. Chimneys and vents
5. Appliances
6. Type of gas
7. Fireplaces
8. LP tank location
9. Riser diagram/shut-offs

Demolition

1. Asbestos removal

**Residential (One- and Two-Family):
Building**

1. Site requirements
 - setback/separation (assumed property lines)
 - location of septic tanks
2. fire resistant construction (if required)
3. fire

4. smoke detector locations
5. Egress
 - egress window size and location
 - stairs construction requirements
6. Structural requirements shall include:
 - wall section from foundation through roof, including assembly and materials
 - connector tables
 - wind requirements
 - structural calculations (if required)
7. Accessibility requirements:
 - show/identify accessible bath

104.3.1.2 Exemptions. Plans examination by the building official shall not be required for the following work:

1. Replacing existing equipment such as mechanical units, water heaters, etc.
2. Re-roofs
3. Minor electrical, plumbing and mechanical repairs.
4. Annual maintenance permits
5. Prototype plans
 - except for local site adaptations, siding, foundations and/or modifications
 - except for structures that require waiver

104.3.2 Affidavits. The building official may accept a sworn affidavit from a registered architect or engineer stating that the plans submitted conform to the technical codes. For buildings and structures, the affidavit shall state that the plans conform to the laws as to egress, type of construction and general arrangement and, if accompanied by drawings, show the structural design and that the plans and design conform to the requirements of the technical codes as to strength, stresses, strains, loads and stability. The building official may without any examination or inspection accept such affidavit, provided the architect or engineer who made such affidavit agrees to submit to the building official copies of inspection reports as inspections are performed and upon completion of the structure, electrical, gas, mechanical or plumbing systems a certification that the structure, electrical, gas, mechanical or plumbing system has been erected in accordance with the requirements of the technical codes and other pertinent laws or ordinances. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, Florida Statutes, and that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, Florida Statutes.

104.4 Issuing Permits

104.4.1 Action on Permits

104.4.1.1 The building official shall act upon an application for a permit without unreasonable or unnecessary delay. If the building official is satisfied that the work

described in an application for a permit and the contract documents filed therewith conform to the requirements of the technical codes and other pertinent laws and ordinances, he shall issue a permit to the applicant. When authorized through contractual agreement with a school board, in acting on applications for permits, the building official shall give first priority to any applications for the construction of, or addition or renovation to, any school or educational facility.

104.4.1.2 If a state university, state community college, or public school district elects to use a local government's code enforcement offices, fees charged by counties and municipalities for enforcement of the Florida Building Code on buildings, structures, and facilities of state universities, state colleges, and public school districts shall not be more than the actual labor and administrative costs incurred for plans review and inspections to ensure compliance with the code.

104.4.1.3 No permit may be issued for any building construction, erection, alteration, modification, repair, or addition unless the applicant for such permit provides to the enforcing agency which issues the permit any of the following documents which apply to the construction for which the permit is to be issued and which shall be prepared by or under the direction of an engineer registered under Chapter 471 Florida Statutes:

1. Electrical documents for any new building or addition which requires an aggregate service capacity of 600 amperes (240 volts) or more on a residential electrical system or 800 amperes (240 volts) on a commercial or industrial electrical system and which costs more than \$50,000.
2. Plumbing documents for any new building or addition which requires a plumbing system with more than 250 fixture units or which costs more than \$50,000.
3. Fire sprinkler documents for any new building or addition which includes a fire sprinkler system which contains 50 or more sprinkler heads. A Contractor I, Contractor II, or Contractor IV, certified under s. 633.521, may design a fire sprinkler system of 49 or fewer heads and may design the alteration of an existing fire sprinkler system if the alteration consists of the relocation, addition or deletion of not more than 49 heads, notwithstanding the size of the existing fire sprinkler system.
4. Heating, ventilation and air-conditioning documents for any new building or addition which requires more than a 15-ton-per-system capacity which is designed to accommodate 100 or more persons or for which the system costs more than \$50,000. This paragraph does not include any document for the replacement or repair of an existing system in which the work does not require altering a structural part of the building or for work on a residential one-family, two-family, three-family or four-family structure.

An air-conditioning system may be designed by an installing air-conditioning contractor certified under Chapter 489, Florida Statutes to serve any building or addition which is designed to accommodate fewer than 100 persons and requires an air-conditioning system with value of \$50,000 or less; and when a 15-ton-per-system or less is designed for a singular space of a building and each 15-ton system or less has an independent duct system. Systems not complying with the above require design documents that are to be sealed by a professional engineer.

Example 1: When a space has two 10-ton systems with each having an independent duct system, the contractor may design these two systems since each system is less than 15 tons.

Example 2: Consider a small single story office building which consists of 6 individual offices where each office has a single three-ton package air conditioning heat pump. The six heat pumps are connected to a single water cooling tower. The cost of the entire heating, ventilation and air conditioning work is \$47,000 and the office building accommodates fewer than 100 persons.

Note: It was further clarified by the commission that the limiting criteria of 100 persons and \$50,000 apply to the building occupancy load and the cost of the total air-conditioning system of the building.

5. Any specialized mechanical, electrical, or plumbing document for any new building or addition which includes a medical gas, oxygen, steam, vacuum, toxic air filtration, halon, or fire detection and alarm system which costs more than \$5,000.

Documents requiring an engineer seal by this part shall not be valid unless a professional engineer who possesses a valid certificate of registration has signed, dated, and stamped such document as provided in s. 471.025, Florida Statutes.

104.4.1.4 An enforcing authority may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: “NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of this county, and there may be additional permits required from other governmental entities such as water management districts, state agencies or federal agencies.”

104.4.1.5 A building permit for a single-family residential dwelling must be issued within 30 working days of application therefor unless unusual circumstances require a longer time for processing the application or unless the permit application fails to satisfy the *Florida Building Code* or the enforcing agency’s laws or ordinances.

104.4.2 Refusal to issue permit. If the application for a permit and the accompanying contract documents describing the work do not conform to the requirements of the technical codes or other pertinent laws or ordinances, the building official shall not issue a permit, but shall return the contract documents to the applicant with his refusal to issue such permit. Such refusal shall, when requested, be in writing and shall contain the reason for refusal.

104.4.3 Identification of minimum premium policy. Except as otherwise provided in Chapter 440, Workers Compensation, every employer shall, as a condition to receiving a building permit, show proof that it has secured compensation for its employees as provided in ss. 440.10 and 440.38, Florida Statutes.

104.4.4 Asbestos removal. Moving, removal or disposal of asbestos-containing materials on a residential building where the owner occupies the building, the building is not for sale or lease, and

the work is performed according to the owner-builder limitations provided in this paragraph. To qualify for exemption under this paragraph, an owner must personally appear and sign the building permit application. The permitting agency shall provide the person with a disclosure statement in substantially the following form:

Disclosure Statement

State law requires asbestos abatement to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own asbestos abatement contractor even though you do not have a license. You must supervise the construction yourself. You may move, remove or dispose of asbestos-containing materials on a residential building where you occupy the building and the building is not for sale or lease, or the building is a farm outbuilding on your property. If you sell or lease such building within 1 year after the asbestos abatement is complete, the law will presume that you intended to sell or lease the property at the time the work was done, which is a violation of this exemption. You may not hire an unlicensed person as your contractor. Your work must be done according to all local, state and federal laws and regulations which apply to asbestos abatement projects. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances.

104.4.5 Special foundation permit. When application for permit to erect or enlarge a building has been filed and pending issuance of such permit, the building official may, at their discretion, issue a special permit for the foundation only. The holder of such a special permit is proceeding at their own risk and without assurance that a permit for the remainder of the work will be granted nor that corrections will not be required in order to meet provisions of the technical codes.

104.5 Conditions of the permit

104.5.1 Permit intent. A permit issued shall be construed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction, or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within 6 months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 6 months after the time the work is commenced. Failure to obtain an approved inspection within 180 days of the previous approved inspection shall constitute suspension or abandonment. One or more extensions of time, for periods not more than 180 days each, may be allowed by the building official for the permit, provided the extension is requested in writing and justifiable cause is demonstrated prior to the expiration date. The building official shall record the extension of time granted.

104.5.1.1 If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

104.5.1.2 If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

104.5.1.3 Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

104.5.1.4 The fee for renewal, re-issuance and extension of a permit shall be set forth by the administrative authority.

104.5.2 Permit issued on basis of an affidavit. Whenever a permit is issued in reliance upon an affidavit or whenever the work to be covered by a permit involves installation under conditions which, in the opinion of the building official, are hazardous or complex, the building official shall require that the architect or engineer who signed the affidavit or prepared the drawings or computations shall supervise such work. In addition, they shall be responsible for conformity to the permit, provide copies of inspection reports as inspections are performed, and upon completion make and file with the building official written affidavit that the work has been done in conformity to the reviewed plans and with the structural provisions of the technical codes. In the event such architect or engineer is not available, the owner shall employ in his stead a competent person or agency whose qualifications are reviewed by the building official. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under part XII of chapter 468, Florida Statutes and that any person conducting inspections is qualified as a building inspector under Part III of chapter 468, Florida Statutes

104.5.3 Plans. When the building official issues a permit, the building official shall endorse, in writing or by stamp both sets of reviewed plans "Reviewed for Code Compliance." One set of reviewed drawings shall be retained by the building official and the other set shall be returned to the applicant. The permit drawings shall be kept at the site of work and shall be open to inspection by the building official or his authorized representative.

104.6 Fees

104.6.1 Prescribed fees. A permit shall not be issued until fees authorized under s. 553.80 Florida Statutes have been paid. Nor shall an amendment to a permit be released until the additional fee, if any, due to an increase in the estimated cost of the building, structure, electrical, plumbing, mechanical or gas systems, has been paid.

104.6.2 Work commencing before permit issuance. Any person who commences any work on a building, structure, electrical, gas, mechanical or plumbing system before obtaining the necessary permits shall be subject to a penalty of 100 percent of the usual permit fee in addition to the required permit fees.

104.6.3 Accounting. The building official shall keep a permanent and accurate accounting of all permit fees and other monies collected, the names of all persons upon whose account the same was paid, along with the date and amount thereof.

104.6.4 Schedule of Permit Fees. On all buildings, structures, electrical, plumbing, mechanical and gas systems or alterations requiring a permit, a fee for each permit shall be paid as required at the time of filing application, in accordance with the schedule as established by the applicable governing authority.

Section 105 Inspections

105.1 ~~Reserved Existing building inspections.~~ Before issuing a permit, the building official may examine or cause to be examined any building, electrical, gas, mechanical, or plumbing systems for which an application has been received for a permit to enlarge, alter, repair, move, demolish, install, or change the occupancy. He shall inspect all buildings, structures, electrical, gas, mechanical and plumbing systems, from time to time, during and upon completion of the work for which a permit was issued. He shall make a record of every such examination and inspection and of all violations of the technical codes.

105.2 ~~Reserved Manufacturers and fabricators.~~ When deemed necessary by the building official, he shall make, or cause to be made, an inspection of materials or assemblies at the point of manufacture or fabrication. A record shall be made of every such examination and inspection and of all violations of the technical codes.

105.3 ~~Reserved Inspection service.~~ The building official may make, or cause to be made, the inspections required by 105. He or she may accept reports of department inspectors, independent inspectors or of recognized inspection services, provided that after investigation he/she is satisfied as to their licensure, Qualifications and reliability. A certificate required by any provision of this code shall not be based on such reports unless the same are recorded by the building code inspector or the architect or engineer performing building code inspections in a manner specified by the building official. The building official shall ensure that all persons making such inspections shall be certified in accordance to Chapter 468 Florida Statutes.

105.4 Inspections prior to issuance of Certificate of Occupancy or Completion. The building official shall inspect or cause to be inspected, at various intervals, all construction or work for which a permit is required, and a final inspection shall be made of every building, structure, electrical, gas, mechanical or plumbing system upon completion, prior to the issuance of the Certificate of Occupancy or Certificate of Completion. In performing inspections, the building official shall give first priority to inspections of the construction, addition, or renovation to, any facilities owned or controlled by a state university, state community college or public school district.

105.5 Posting of permit. Work requiring a permit shall not commence until the permit holder or his agent posts the permit card in a conspicuous place on the premises. The permit shall be protected from the weather and located in such position as to permit the building official or representative to conveniently make the required entries thereon. This permit card shall be maintained in such position by the permit holder until the Certificate Occupancy or Completion is issued by the building official.

105.6 Required inspections. The building official upon notification from the permit holder or his agent shall make the following inspections, and shall either release that portion of the construction or shall notify the permit holder or his agent of any violations which must be corrected in order to comply with the technical codes. The building official shall determine the timing and sequencing of when inspections occur and what elements are inspected at each inspection.

Building

1. Foundation inspection: To be made after trenches are excavated and forms erected and shall at a minimum include the following building components:
 - stem-wall
 - monolithic slab-on-grade
 - piling/pile caps
 - footers/grade beams

1.1. Slab Inspection: To be made after the reinforcement is in place, all concealed conduit, piping, ducts and vents are installed and the electrical, plumbing and mechanical work is complete. Slab shall not be poured until all required inspections have been made and passed.

A foundation survey prepared and certified by a registered surveyor shall be required for all new construction prior to approval of the framing inspection. The survey shall certify placement of the building on the site, illustrate all surrounding setback dimensions and shall be available at the job site for review by the building inspector. In lieu of providing a survey, the contractor may elect to uncover all property line markers and string-up all property lines in preparation for inspection.

2. Framing inspection: To be made after the roof, all framing, fireblocking and bracing is in place, all concealing wiring, all pipes, chimneys, ducts and vents are complete and shall at a minimum include the following building components:

- window/door framing and installation
- vertical cells/columns
- lintel/tie beams
- framing/trusses/bracing/connectors
- draft stopping/fire-blocking
- curtain wall framing
- energy insulation
- accessibility

2.1. Insulation Inspection: To be made after the framing inspection is approved and the insulation is in place.

3. Sheathing inspection: To be made either as part of a dry-in inspection or done separately at the request of the contractor after all roof and wall sheathing and fasteners are complete and shall at a minimum include the following building components:

- roof sheathing
- wall sheathing
- sheathing fasteners
- roof/wall/dry-in

NOTE: Sheathing fasteners installed and found to be missing the structural member (shiners) shall be removed and properly reinstalled prior to installation of the dry-in material.

4. Roofing inspection: To be made as two inspections on tile, slate or similar roof coverings or as one inspection on all other roof coverings, and shall at a minimum include the following building components:

- dry-in
- insulation
- roof coverings
- flashing

5. Final inspection: To be made after the building is completed and ready for occupancy.

6. Swimming pool inspection:

- First inspection to be made after excavation and installation of reinforcing steel, bonding and main drain and prior to placing of concrete.
- Final inspection to be made when the swimming pool is complete and all required enclosure requirements are in place.

- In order to pass final inspection and receive a certificate of completion, a residential swimming pool must meet the requirements relating to pool safety features as described in Section 424.2.17
7. Demolition inspections:
- First inspection to be made after all utility connections have been disconnected and secured in such manner that no unsafe or unsanitary conditions shall exist during or after demolition operations.
 - Final inspection to be made after all demolition work is completed.

Electrical

1. Underground inspection: To be made after trenches or ditches are excavated, conduit or cable installed, and before any backfill is put in place.
2. Rough-In inspection: To be made after the roof, framing, fire-blocking and bracing is in place and prior to the installation of wall or ceiling membranes.
3. Final inspection: To be made after the building is complete, all required electrical fixtures are in place and properly connected or protected, and the structure is ready for occupancy.

Plumbing

1. Underground inspection: To be made after trenches or ditches are excavated, piping installed, and before any backfill is put in place.
2. Rough-In inspection: To be made after the roof, framing, fire-blocking and bracing is in place and all soil, waste and vent piping is complete, and prior to the installation of wall or ceiling membranes.
3. Final inspection: To be made after the building is complete, all required plumbing fixtures are in place and properly connected, and the structure is ready for occupancy.

Mechanical

1. Underground inspection: To be made after trenches or ditches are excavated, underground duct and fuel piping installed, and before any backfill is put in place.
2. Rough-In inspection: To be made after the roof, framing, fire-blocking and bracing is in place and all ducting and other concealed components are complete, and prior to the installation of wall or ceiling membranes.
3. Final inspection: To be made after the building is complete, the mechanical system is in place and properly connected, and the structure is ready for occupancy.

Gas

1. Rough piping inspection: To be made after all new piping authorized by the permit has been installed, and before any such piping has been covered or concealed or any fixtures or gas appliances have been connected.

2. Final piping inspection: To be made after all piping authorized by the permit has been installed and after all portions which are to be concealed by plastering or otherwise have been so concealed, and before any fixtures or gas appliances have been connected. This inspection shall include a pressure test.

3. Final inspection: To be made on all new gas work authorized by the permit and such portions of existing systems as may be affected by new work or any changes, to insure compliance with all the requirements of this code and to assure that the installation and construction of the gas system is in accordance with reviewed plans.

105.7 Written release. Work shall not be done on any part of a building, structure, electrical, gas, mechanical or plumbing system beyond the point indicated in each successive inspection without first obtaining a written release from the building official. Such written release shall be given only after an inspection has been made of each successive step in the construction or installation as indicated by each of the foregoing three inspections.

105.8 Reinforcing steel and structural frames. Reinforcing steel or structural framework of any part of any building or structure shall not be covered or concealed without first obtaining a release from the building official.

105.9 Plaster fire protection. In all buildings where plaster is used for fire protection purposes, the permit holder or his agent shall notify the building official after all lathing and backing is in place. Plaster shall not be covered or concealed from view without first obtaining a release from the building official.

105.10 Fire resistant joints and penetrations. The protection of joints and penetrations in required fire resistant construction assemblies shall not be covered or concealed from view without first obtaining a release from the building official.

105.11 Termites. Building components and building surroundings required to be protected from termite damage in accordance with 1503.4.4, 1804.6.2.7, 1916.7.5, 2303, 2304, or 2603.3, specifically required to be inspected for termites in accordance with 2116, or required to have chemical soil treatment in accordance with 1816 shall not be covered or concealed until the release from the building official has been received.

105.12 Shoring. For threshold buildings, shoring and associated formwork or falsework shall be designed and inspected by a Florida Licensed Professional Engineer, employed by the permit holder or subcontractor, prior to any required mandatory inspections by the Threshold Building inspector.

105.13 Threshold Building

105.13.1 The enforcing agency shall require a special inspector to perform structural inspections on a threshold building pursuant to a structural inspection plan prepared by the engineer or architect of record. The structural inspection plan must be submitted to the enforcing agency prior to the issuance of a building permit for the construction of a threshold building. The purpose of the structural inspection plan is to provide specific inspection procedures and schedules so that the building can be adequately inspected for compliance with the permitted documents.

105.13.2 The special inspector shall inspect the shoring and reshoring for conformance to the shoring and reshoring plans submitted to the enforcing agency. A fee simple title owner of a building which does not meet the minimum size, height, occupancy, occupancy classification or number of stories criteria which would result in classification as a threshold building under

553.71(7) Florida Statutes, may designate such building as a threshold building, subject to more than the minimum number of inspections required by the *Florida Building Code, Building*.

105.13.3 The fee owner of a threshold building shall select and pay all costs of employing a special inspector, but the special inspector shall be responsible to the enforcement agency. The inspector shall be a person certified, licensed, or registered under chapter 471 Florida Statutes as an engineer or under chapter 481 Florida Statutes as an architect.

105.13.4 Each enforcement agency shall require that, on every threshold building:

105.13.4.1 The special inspector, upon completion of the building and prior to the issuance of a Certificate of Occupancy, file a signed and sealed statement with the enforcement agency in substantially the following form: “To the best of my knowledge and belief, the above-described construction of all structural loadbearing components complies with the permitted documents, and the shoring and reshoring conforms to the shoring and reshoring plans submitted to the enforcement agency.”

105.13.4.2 Any proposal to install an alternate structural product or system to which building codes apply be submitted to the enforcement agency for review for compliance with the codes and made part of the enforcement agency’s recorded set of permit documents.

105.13.4.3 All shoring and reshoring procedures, plans and details be submitted to the enforcement agency for recordkeeping. Each shoring and reshoring installation shall be supervised, inspected and certified to be in compliance with the shoring documents by the contractor.

105.13.4.4 All plans for the building which are required to be signed and sealed by the architect or engineer of record contain a statement that, to the best of the architect’s or engineer’s knowledge, the plans and specifications comply with the applicable minimum building codes and the applicable fire-safety standards as determined by the local authority in accordance with this section and 633 Florida Statutes.

105.13.5 No enforcing agency may issue a building permit for construction of any threshold building except to a licensed general contractor, as defined in s. 489.105(3)(a) Florida Statutes, or to a licensed building contractor, as defined in s. 489.105(3)(b) Florida Statutes, within the scope of his or her license.

105.13.6 The building department may allow a special inspector to conduct the minimum structural inspection of threshold buildings required by this code, s. 553.73 Florida Statutes, without duplicative inspection by the building department. The building official is responsible for ensuring that any person conducting inspections is qualified as a building inspector under part XII of Chapter 468, Florida Statutes, or certified as a special inspector under Chapter 471 or Chapter 481, Florida Statutes. Inspections of threshold buildings required by s. 553.79(5), Florida Statutes, are in addition to the minimum inspections required by this code.

Section 106 Certificates

106.1 Certificate of Occupancy

106.1.1 Building Occupancy. A new building shall not be occupied or a change made in the occupancy, nature or use of a building or part of a building until after the building official has issued a Certificate of Occupancy. Said certificate shall not be issued until all required electrical, gas, mechanical, plumbing and fire protection systems have been inspected for compliance with the technical codes and other applicable laws and ordinances and released by the building official.

106.1.2 Issuing Certificate of Occupancy. Upon completion of construction of a building or structure and installation of electrical, gas, mechanical and plumbing systems in accordance with the technical codes, reviewed plans and specifications, and after the final inspection, and after verification that all septic system permits and all right of way permits have received an approved final inspection where applicable, the building official shall issue a Certificate of Occupancy stating the nature of the occupancy permitted, the number of persons for each floor when limited by law, and the allowable load per square foot for each floor in accordance with the provisions of this code.

106.1.3 Temporary/Partial occupancy. A temporary/ partial Certificate of Occupancy may be issued for a portion or portions of a building which may safely be occupied prior to final completion of the building.

106.2 Certificate of Completion. A certificate of completion is proof that a structure or system is complete and for certain types of permits is released for use and may be connected to a utility system. This certificate does not grant authority to occupy or connect a building, such as a shell building, prior to the issuance of a Certificate of Occupancy.

106.3 Service utilities

106.3.1 Connection of service utilities. No person shall make connections from a utility source of energy, fuel or power to any building or system which is regulated by the technical codes for which a permit is required, until released by the building official and a Certificate of Occupancy or Completion is issued.

106.3.2 Temporary connection. The building official may authorize the temporary connection of the building or system to the utility source of energy, fuel or power for the purpose of testing building service systems or for use under a temporary Certificate of Occupancy

106.3.3 Authority to disconnect service utilities. The building official shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by the technical codes in case of emergency where necessary to eliminate an immediate hazard to life or property. The building official shall notify the serving utility, and whenever possible the owner and occupant of the building, structure or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure or service system shall be notified in writing, as soon as practical thereafter.

106.4 Posting floor loads

106.4.1 Occupancy. An existing or new building shall not be occupied for any purpose which will cause the floors thereof to be loaded beyond their safe capacity.

106.4.2 Storage and Factory-Industrial Occupancies. It shall be the responsibility of the owner, agent, proprietor or occupant of Group S and Group F occupancies, or any occupancy where

excessive floor loading is likely to occur, to employ a competent architect or engineer in computing the safe load capacity. All such computations shall be accompanied by an affidavit from the architect or engineer stating the safe allowable floor load on each floor in pounds per square foot uniformly distributed. The computations and affidavit shall be filed as a permanent record of the building department.

106.4.3 Signs required. In every building or part of a building used for storage, industrial or hazardous purposes, the safe floor loads, as reviewed by the building official on the plan, shall be marked on plates of approved design which shall be supplied and securely affixed by the owner of the building in a conspicuous place in each story to which they relate. Such plates shall not be removed or defaced, and if lost, removed or defaced, shall be replaced by the owner of the building.

Section 107 Tests (Reserved)

107.1 For products not covered under the statewide product evaluation and approval system, the building official may require tests or test reports as proof of compliance. Required tests are to be made at the expense of the owner, or his agent, by an approved testing laboratory or other approved agency.

Section 108 Severability (Reserved)

108.1 If any section, subsection, sentence, clause or phrase of this code is for any reason held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this code.

Section 109 Violations and Penalties (Reserved)

109.1 Any person, firm, corporation or agent who shall violate a provision of this code, or fail to comply therewith, or with any of the requirements thereof, or who shall erect, construct, alter, install, demolish or move any structure, electrical, gas, mechanical or plumbing system, or has erected, constructed, altered, repaired, moved or demolished a building, structure, electrical, gas, mechanical or plumbing system, in violation of a detailed statement or drawing submitted and permitted there under, shall be guilty of a misdemeanor of the second degree. Each such person shall be considered guilty of a separate offense for each and every day or portion thereof during which any violation of any of the provisions of this code is committed or continued. Upon conviction of any such violation such person shall be punished within the limits as provided by law and local ordinance.

Sec. 331.04. Florida Building Code - Chapter 16 Amendments.

The Florida Building Code adopted by reference as the Building Code of Alachua County, Florida is hereby amended in Chapter 16 as follows:

.

Section 1606.1.6 Basic Wind Speed. The basic wind speed in miles per hour for the development of wind loads, shall be determined from Figure 1606. Basic wind speed for the special wind regions indicated, near mountainous terrain and near gorges shall be in accordance with local jurisdiction requirements. The exact location of wind speed lines shall be located by local ordinance using recognized physical landmarks such as major roads, canals, river and lake shores, where possible. For the purposes of complying with the structural requirements related to wind loads, all buildings and structures East of Interstate - Seventy Five (I-75) shall be designated for a minimum wind load of 100 mph and all buildings and structures west of Interstate - Seventy Five (I-75) shall be designed for a minimum of 110 mph. With regard to compliance with criteria relating to protection from wind borne debris, Alachua County is deemed to be located landward of the 120

mph wind contour line in Figure 1606 and therefore, buildings within Alachua County are not required to have openings protected from wind borne debris except for critical facilities which voluntarily provide protection of openings from wind borne debris.

.....

Section 2. Chapter 334 of the Alachua County Code, Swimming Pools is repealed in its entirety, and the following new Chapter on Swimming Pools is added:

Chapter 334. Swimming Pools

Sec. 334.01. Short Title.

This chapter shall be known and cited as the Swimming Pool Code of Alachua County, Florida.

Sec. 334.02. Construction.

Construction of public and private swimming pools shall be in accordance with Chapter 424 of the Florida Building Code - Building.

Sec. 334.03. Protection.

Barrier protection, enclosure, and alarm requirements shall be in accordance with Sections 424.2.17 through 424.2.17.3 of the Florida Building Code - Building. Prior to the start of construction on public or private swimming pools, the permanent fence or wall meeting all applicable requirements of Section 424.17.1.1 through 424.17.1.8, or a temporary fence at least four (4) feet in height above the grade outside the fence shall be installed. This fence or wall shall be closed, latched and locked at all times, except when work is in progress and workman are on the site. The temporary fence shall not be removed except when the permanent fence, wall or enclosure is being immediately constructed. At no time shall the pool be left by workman unless secured by either the permanent or temporary enclosure.

Section 3. Severability. It is the declared intent of the Board of County Commissioners that, if any section, subsection, sentence, clause, phrase, or provision of this ordinance is held invalid or unconstitutional by a court of competent jurisdiction, such invalidity or unconstitutionality shall not be so construed as to render invalid or unconstitutional the remaining provisions of this ordinance.

Section 4. Inclusion in the Code. It is the intention of the Board of County Commissioners of Alachua County, Florida, and it is hereby provided that the provisions of this ordinance shall become and be made a part of the Alachua County Code of Alachua

County Florida: that the sections of this ordinance may be renumbered or relettered to accomplish such intention; and that the “ordinance” may be changed to “section”, “article”, or other appropriate designation.

Section 5. Repealing Clause. All ordinances or parts of ordinances in conflict herewith are, to the extent of such conflict, hereby repealed.

Section 6. Effective Date. A certified copy of this ordinance shall be filed with the Department of State by the Clerk of the Board of County Commissioners within ten (10) days after enactment of the Board of County Commissioners, and said ordinance shall take effect on March 1, 2002.

DULY ADOPTED in regular session, this 8th day of January, A.D., 2002.

BOARD OF COUNTY COMMISSIONERS OF
ALACHUA COUNTY, FLORIDA

ATTEST:

J. K. "Buddy" Irby, Clerk

By: Robert Hutchinson, Chair

(SEAL)

DEPARTMENT APPROVAL
AS TO CORRECTNESS

APPROVED AS TO FORM

Rick Drummond
Growth Management Director

David Wagner
Alachua County Attorney